

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 460 alternative school students in Montana during February of 2009. Frequency distributions may not total 460 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 12 years old or younger	1	0.2%
b. 13 years old	0	0.0%
c. 14 years old	11	2.4%
d. 15 years old	53	11.6%
e. 16 years old	123	26.9%
f. 17 years old	153	33.5%
g. 18 years old or older	116	25.4%
<b>Total</b>	<b>457</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Female	232	51.1%
b. Male	222	48.9%
<b>Total</b>	<b>454</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 9th grade	47	10.5%
b. 10th grade	96	21.4%
c. 11th grade	135	30.1%
d. 12th grade	166	37.1%
e. Ungraded or other	4	0.9%
<b>Total</b>	<b>448</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	48	10.7%
b. No	400	89.3%
<b>Total</b>	<b>448</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. American Indian or Alaskan Native	103	22.4%
b. Asian	4	0.9%
c. Black or African American	12	2.6%
d. Native Hawaiian or Other Pacific Islander	13	2.8%
e. White	336	73.0%
(More than one response allowed)	<b>Total</b>	<b>468</b>
		<b>101.7%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 4 ft	1	0.2%
b. 4ft to 4 ft, 6 in	2	0.4%
c. 4ft, 7in to 5 ft	11	2.4%
d. 5ft, 1in to 5ft, 6in	196	43.1%
e. Over 5ft, 6in	245	53.8%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 90 lbs	0	0.0%
b. 90-99 lbs	3	0.7%
c. 100-109 lbs	23	5.1%
d. 110-119lbs	41	9.1%
e. 120-129 lbs	55	12.2%
f. 130-139 lbs	61	13.5%
g. 140 lbs +	268	59.4%
<b>Total</b>	<b>451</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not ride a bicycle during the past 12 months	145	31.9%
b. Never wore a helmet	271	59.7%
c. Rarely wore a helmet	19	4.2%
d. Sometimes wore a helmet	6	1.3%
e. Most of the time wore a helmet	7	1.5%
f. Always wore a helmet	6	1.3%
<b>Total</b>	<b>454</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	38	8.4%
b. Rarely	66	14.6%
c. Sometimes	103	22.8%
d. Most of the time	135	29.9%
e. Always	109	24.2%
<b>Total</b>	<b>451</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not drive a car	108	23.8%
b. Never	27	6.0%
c. Rarely	55	12.1%
d. Sometimes	44	9.7%
e. Most of the time	79	17.4%
f. Always	140	30.9%
<b>Total</b>	<b>453</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	241	53.0%
b. 1 time	55	12.1%
c. 2 or 3 times	84	18.5%
d. 4 or 5 times	29	6.4%
e. 6 or more times	46	10.1%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	356	78.4%
b. 1 time	47	10.4%
c. 2 or 3 times	26	5.7%
d. 4 or 5 times	9	2.0%
e. 6 or more times	16	3.5%
<b>Total</b>	<b>454</b>	<b>100.0%</b>

<i>Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	357	78.6%
b. 1 day	10	2.2%
c. 2 or 3 days	23	5.1%
d. 4 or 5 days	10	2.2%
e. 6 or more days	54	11.9%
<b>Total</b>	<b>454</b>	<b>100.0%</b>

<i>Q-14. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	422	92.7%
b. 1 day	7	1.5%
c. 2 or 3 days	11	2.4%
d. 4 or 5 days	5	1.1%
e. 6 or more days	10	2.2%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	409	89.7%
b. 1 day	5	1.1%
c. 2 or 3 days	5	1.1%
d. 4 or 5 days	6	1.3%
e. 6 or more days	31	6.8%
<b>Total</b>	<b>456</b>	<b>100.0%</b>

<i>Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	426	94.2%
b. 1 day	6	1.3%
c. 2 or 3 days	8	1.8%
d. 4 or 5 days	3	0.7%
e. 6 or more days	9	2.0%
<b>Total</b>	<b>452</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	412	89.8%
b. 1 time	18	3.9%
c. 2 or 3 times	15	3.3%
d. 4 or 5 times	3	0.7%
e. 6 or 7 times	5	1.1%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	6	1.3%
<b>Total</b>	<b>459</b>	<b>100.0%</b>

<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	220	48.4%
b. 1 time	82	18.0%
c. 2 or 3 times	91	20.0%
d. 4 or 5 times	29	6.4%
e. 6 or 7 times	9	2.0%
f. 8 or 9 times	5	1.1%
g. 10 or 11 times	4	0.9%
h. 12 or more times	15	3.3%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	415	91.2%
b. 1 time	24	5.3%
c. 2 or 3 times	11	2.4%
d. 4 or 5 times	0	0.0%
e. 6 or more times	5	1.1%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	386	84.6%
b. 1 time	37	8.1%
c. 2 or 3 times	17	3.7%
d. 4 or 5 times	10	2.2%
e. 6 or 7 times	0	0.0%
f. 8 or 9 times	1	0.2%
g. 10 or 11 times	0	0.0%
h. 12 or more times	5	1.1%
<b>Total</b>	<b>456</b>	<b>100.0%</b>

<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	86	19.2%
b. No	362	80.8%
<b>Total</b>	<b>448</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-22. Have you ever been forced to have sexual intercourse when you did not want to?	<u>Count</u>	<u>Percent</u>
a. Yes	95	21.2%
b. No	354	78.8%
<b>Total</b>	<b>449</b>	<b>100.0%</b>
Q-23. During the past 12 months, have you ever been bullied on school property?	<u>Count</u>	<u>Percent</u>
a. Yes	98	21.6%
b. No	356	78.4%
<b>Total</b>	<b>454</b>	<b>100.0%</b>
Q-24. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	105	23.4%
b. No	344	76.6%
<b>Total</b>	<b>449</b>	<b>100.0%</b>
Q-25. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	181	40.5%
b. No	266	59.5%
<b>Total</b>	<b>447</b>	<b>100.0%</b>
Q-26. During the past 12 months, did you ever seriously consider attempting suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	134	29.5%
b. No	321	70.5%
<b>Total</b>	<b>455</b>	<b>100.0%</b>
Q-27. During the past 12 months, did you make a plan about how you would attempt suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	91	20.2%
b. No	360	79.8%
<b>Total</b>	<b>451</b>	<b>100.0%</b>
Q-28. During the past 12 months, how many times did you actually attempt suicide?	<u>Count</u>	<u>Percent</u>
a. 0 times	348	77.0%
b. 1 time	70	15.5%
c. 2 or 3 times	24	5.3%
d. 4 or 5 times	3	0.7%
e. 6 or more times	7	1.5%
<b>Total</b>	<b>452</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-29. If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not attempt suicide during the past 12 months	337	74.6%
b. Yes	49	10.8%
c. No	66	14.6%
<b>Total</b>	<b>452</b>	<b>100.0%</b>
<i>Q-30. Have you ever tried cigarette smoking, even one or two puffs?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	386	86.9%
b. No	58	13.1%
<b>Total</b>	<b>444</b>	<b>100.0%</b>
<i>Q-31. How old were you when you smoked a whole cigarette for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never smoked a whole cigarette	90	20.1%
b. 8 years old or younger	54	12.1%
c. 9 or 10 years old	46	10.3%
d. 11 or 12 years old	61	13.6%
e. 13 or 14 years old	97	21.7%
f. 15 or 16 years old	85	19.0%
g. 17 years old or older	15	3.3%
<b>Total</b>	<b>448</b>	<b>100.0%</b>
<i>Q-32. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	153	33.8%
b. 1 or 2 days	32	7.1%
c. 3 to 5 days	18	4.0%
d. 6 to 9 days	14	3.1%
e. 10 to 19 days	21	4.6%
f. 20 to 29 days	35	7.7%
g. All 30 days	180	39.7%
<b>Total</b>	<b>453</b>	<b>100.0%</b>
<i>Q-33. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	151	33.2%
b. Less than 1 cigarette per day	34	7.5%
c. 1 cigarette per day	31	6.8%
d. 2 to 5 cigarettes per day	116	25.5%
e. 6 to 10 cigarettes per day	72	15.8%
f. 11 to 20 cigarettes per day	45	9.9%
g. More than 20 cigarettes per day	6	1.3%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-34. During the past 30 days, how did you usually get your own cigarettes? (Select only one response)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	149	33.2%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	96	21.4%
c. I bought them from a vending machine	9	2.0%
d. I gave someone else money to buy them for me	88	19.6%
e. I borrowed them from someone else	53	11.8%
f. A person 18 years old or older gave them to me	18	4.0%
g. I took them from a store or family member	6	1.3%
h. I got them some other way	30	6.7%
<b>Total</b>	<b>449</b>	<b>100.0%</b>

<i>Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	326	72.6%
b. 1 or 2 days	40	8.9%
c. 3 to 5 days	10	2.2%
d. 6 to 9 days	11	2.4%
e. 10 to 19 days	29	6.5%
f. 20 to 29 days	7	1.6%
g. All 30 days	26	5.8%
<b>Total</b>	<b>449</b>	<b>100.0%</b>

<i>Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	250	55.9%
b. No	197	44.1%
<b>Total</b>	<b>447</b>	<b>100.0%</b>

<i>Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke during the past 12 months	147	33.0%
b. Yes	190	42.7%
c. No	108	24.3%
<b>Total</b>	<b>445</b>	<b>100.0%</b>

<i>Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	364	80.0%
b. 1 or 2 days	26	5.7%
c. 3 to 5 days	17	3.7%
d. 6 to 9 days	18	4.0%
e. 10 to 19 days	12	2.6%
f. 20 to 29 days	3	0.7%
g. All 30 days	15	3.3%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	396	87.0%
b. 1 or 2 days	15	3.3%
c. 3 to 5 days	15	3.3%
d. 6 to 9 days	5	1.1%
e. 10 to 19 days	9	2.0%
f. 20 to 29 days	5	1.1%
g. All 30 days	10	2.2%
<b>Total</b>	<b>455</b>	<b>100.0%</b>

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	332	73.5%
b. 1 or 2 days	68	15.0%
c. 3 to 5 days	21	4.6%
d. 6 to 9 days	12	2.7%
e. 10 to 19 days	6	1.3%
f. 20 to 29 days	1	0.2%
g. All 30 days	12	2.7%
<b>Total</b>	<b>452</b>	<b>100.0%</b>

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	56	12.6%
b. 1 or 2 days	31	7.0%
c. 3 to 9 days	34	7.6%
d. 10 to 19 days	34	7.6%
e. 20 to 39 days	49	11.0%
f. 40 to 99 days	68	15.3%
g. 100 or more days	173	38.9%
<b>Total</b>	<b>445</b>	<b>100.0%</b>

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had a drink of alcohol other than a few sips	44	9.8%
b. 8 years old or younger	67	14.9%
c. 9 or 10 years old	56	12.4%
d. 11 or 12 years old	80	17.7%
e. 13 or 14 years old	126	27.9%
f. 15 or 16 years old	67	14.9%
g. 17 years old or older	11	2.4%
<b>Total</b>	<b>451</b>	<b>100.0%</b>



## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	128	28.4%
b. 1 or 2 days	79	17.5%
c. 3 to 5 days	83	18.4%
d. 6 to 9 days	74	16.4%
e. 10 to 19 days	65	14.4%
f. 20 to 29 days	12	2.7%
g. All 30 days	10	2.2%
<b>Total</b>	<b>451</b>	<b>100.0%</b>

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	171	37.9%
b. 1 day	45	10.0%
c. 2 days	66	14.6%
d. 3 to 5 days	74	16.4%
e. 6 to 9 days	48	10.6%
f. 10 to 19 days	35	7.8%
g. 20 or more days	12	2.7%
<b>Total</b>	<b>451</b>	<b>100.0%</b>

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink alcohol during the past 30 days	115	25.7%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	29	6.5%
c. I bought it at a restaurant, bar, or club	7	1.6%
d. I bought it at a public event such as a concert or sporting event	6	1.3%
e. I gave someone else money to buy it for me	120	26.8%
f. Someone gave it to me	92	20.5%
g. I took it from a store or family member	6	1.3%
h. I got it some other way	73	16.3%
<b>Total</b>	<b>448</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	394	90.0%
b. 1 or 2 days	27	6.2%
c. 3 to 5 days	5	1.1%
d. 6 to 9 days	8	1.8%
e. 10 to 19 days	2	0.5%
f. 20 to 29 days	0	0.0%
g. All 30 days	2	0.5%
<b>Total</b>	<b>438</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During your life, how many times have you used marijuana?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	73	16.2%
b. 1 or 2 times	20	4.4%
c. 3 to 9 times	22	4.9%
d. 10 to 19 times	23	5.1%
e. 20 to 39 times	29	6.4%
f. 40 to 99 times	39	8.7%
g. 100 or more times	244	54.2%
<b>Total</b>	<b>450</b>	<b>100.0%</b>

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never tried marijuana	66	14.7%
b. 8 years old or younger	49	10.9%
c. 9 or 10 years old	46	10.2%
d. 11 or 12 years old	65	14.4%
e. 13 or 14 years old	128	28.4%
f. 15 or 16 years old	83	18.4%
g. 17 years old or older	13	2.9%
<b>Total</b>	<b>450</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	158	34.8%
b. 1 or 2 times	45	9.9%
c. 3 to 9 times	45	9.9%
d. 10 to 19 times	33	7.3%
e. 20 to 39 times	45	9.9%
f. 40 or more times	128	28.2%
<b>Total</b>	<b>454</b>	<b>100.0%</b>

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	372	82.5%
b. 1 or 2 times	26	5.8%
c. 3 to 9 times	24	5.3%
d. 10 to 19 times	6	1.3%
e. 20 to 39 times	8	1.8%
f. 40 or more times	15	3.3%
<b>Total</b>	<b>451</b>	<b>100.0%</b>

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	296	65.6%
b. 1 or 2 times	61	13.5%
c. 3 to 9 times	30	6.7%
d. 10 to 19 times	22	4.9%
e. 20 to 39 times	14	3.1%
f. 40 or more times	28	6.2%
<b>Total</b>	<b>451</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	394	87.8%
b. 1 or 2 times	26	5.8%
c. 3 to 9 times	18	4.0%
d. 10 to 19 times	4	0.9%
e. 20 to 39 times	1	0.2%
f. 40 or more times	6	1.3%
<b>Total</b>	<b>449</b>	<b>100.0%</b>

<i>Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	281	62.9%
b. 1 or 2 times	74	16.6%
c. 3 to 9 times	47	10.5%
d. 10 to 19 times	14	3.1%
e. 20 to 39 times	11	2.5%
f. 40 or more times	20	4.5%
<b>Total</b>	<b>447</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	402	88.9%
b. 1 or 2 times	23	5.1%
c. 3 to 9 times	12	2.7%
d. 10 to 19 times	6	1.3%
e. 20 to 39 times	1	0.2%
f. 40 or more times	8	1.8%
<b>Total</b>	<b>452</b>	<b>100.0%</b>

<i>Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	371	81.9%
b. 1 or 2 times	41	9.1%
c. 3 to 9 times	18	4.0%
d. 10 to 19 times	8	1.8%
e. 20 to 39 times	2	0.4%
f. 40 or more times	13	2.9%
<b>Total</b>	<b>453</b>	<b>100.0%</b>

<i>Q-56. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	284	62.7%
b. 1 or 2 times	69	15.2%
c. 3 to 9 times	59	13.0%
d. 10 to 19 times	16	3.5%
e. 20 to 39 times	9	2.0%
f. 40 or more times	16	3.5%
<b>Total</b>	<b>453</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	427	94.1%
b. 1 or 2 times	16	3.5%
c. 3 to 9 times	1	0.2%
d. 10 to 19 times	5	1.1%
e. 20 to 39 times	1	0.2%
f. 40 or more times	4	0.9%
<b>Total</b>	<b>454</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	412	90.9%
b. 1 time	19	4.2%
c. 2 or more times	22	4.9%
<b>Total</b>	<b>453</b>	<b>100.0%</b>

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	170	38.2%
b. No	275	61.8%
<b>Total</b>	<b>445</b>	<b>100.0%</b>

<i>Q-60. Have you ever had sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	373	85.2%
b. No	65	14.8%
<b>Total</b>	<b>438</b>	<b>100.0%</b>

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	64	14.3%
b. 11 years old or younger	37	8.3%
c. 12 years old	31	7.0%
d. 13 years old	69	15.5%
e. 14 years old	82	18.4%
f. 15 years old	89	20.0%
g. 16 years old	61	13.7%
h. 17 years old or older	13	2.9%
<b>Total</b>	<b>446</b>	<b>100.0%</b>

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	64	14.3%
b. 1 person	61	13.7%
c. 2 people	45	10.1%
d. 3 people	48	10.8%
e. 4 people	52	11.7%
f. 5 people	47	10.5%
g. 6 or more people	129	28.9%
<b>Total</b>	<b>446</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	71	15.8%
b. I have had sexual intercourse, but not during the past 3 months	86	19.2%
c. 1 person	173	38.6%
d. 2 people	63	14.1%
e. 3 people	26	5.8%
f. 4 people	10	2.2%
g. 5 people	13	2.9%
h. 6 or more people	6	1.3%
<b>Total</b>	<b>448</b>	<b>100.0%</b>

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	64	14.4%
b. Yes	167	37.5%
c. No	214	48.1%
<b>Total</b>	<b>445</b>	<b>100.0%</b>

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	64	14.4%
b. Yes	197	44.5%
c. No	182	41.1%
<b>Total</b>	<b>443</b>	<b>100.0%</b>

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	59	13.3%
b. No method was used to prevent pregnancy	73	16.4%
c. Birth control pills	70	15.8%
d. Condoms	142	32.0%
e. Depo-Provera	25	5.6%
f. Withdrawal	35	7.9%
g. Some other method	23	5.2%
h. Not sure	17	3.8%
<b>Total</b>	<b>444</b>	<b>100.0%</b>

<i>Q-67. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	13	2.9%
b. Slightly underweight	39	8.8%
c. About the right weight	243	55.1%
d. Slightly overweight	115	26.1%
e. Very overweight	31	7.0%
<b>Total</b>	<b>441</b>	<b>100.0%</b>

<i>Q-68. Which of the following are you trying to do about your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Lose weight	185	41.3%
b. Gain weight	60	13.4%
c. Stay the same weight	86	19.2%
d. I am not trying to do anything about my weight	117	26.1%
<b>Total</b>	<b>448</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	227	51.5%
b. No	214	48.5%
<b>Total</b>	<b>441</b>	<b>100.0%</b>
Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	155	35.0%
b. No	288	65.0%
<b>Total</b>	<b>443</b>	<b>100.0%</b>
Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	84	18.8%
b. No	362	81.2%
<b>Total</b>	<b>446</b>	<b>100.0%</b>
Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	33	7.5%
b. No	407	92.5%
<b>Total</b>	<b>440</b>	<b>100.0%</b>
Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	26	6.0%
b. No	405	94.0%
<b>Total</b>	<b>431</b>	<b>100.0%</b>
Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	91	20.4%
b. 1 to 3 times during the past 7 days	138	31.0%
c. 4 to 6 times during the past 7 days	84	18.9%
d. 1 time per day	46	10.3%
e. 2 times per day	43	9.7%
f. 3 times per day	15	3.4%
g. 4 or more times per day	28	6.3%
<b>Total</b>	<b>445</b>	<b>100.0%</b>
Q-75. During the past 7 days, how many times did you eat fruit?	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	64	14.3%
b. 1 to 3 times during the past 7 days	166	37.1%
c. 4 to 6 times during the past 7 days	94	21.0%
d. 1 time per day	53	11.9%
e. 2 times per day	42	9.4%
f. 3 times per day	7	1.6%
g. 4 or more times per day	21	4.7%
<b>Total</b>	<b>447</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat green salad during the past 7 days	149	33.5%
b. 1 to 3 times during the past 7 days	184	41.3%
c. 4 to 6 times during the past 7 days	48	10.8%
d. 1 time per day	47	10.6%
e. 2 times per day	7	1.6%
f. 3 times per day	3	0.7%
g. 4 or more times per day	7	1.6%
<b>Total</b>	<b>445</b>	<b>100.0%</b>

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat potatoes during the past 7 days	132	29.4%
b. 1 to 3 times during the past 7 days	227	50.6%
c. 4 to 6 times during the past 7 days	53	11.8%
d. 1 time per day	21	4.7%
e. 2 times per day	7	1.6%
f. 3 times per day	4	0.9%
g. 4 or more times per day	5	1.1%
<b>Total</b>	<b>449</b>	<b>100.0%</b>

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat carrots during the past 7 days	211	47.2%
b. 1 to 3 times during the past 7 days	169	37.8%
c. 4 to 6 times during the past 7 days	28	6.3%
d. 1 time per day	16	3.6%
e. 2 times per day	5	1.1%
f. 3 times per day	3	0.7%
g. 4 or more times per day	15	3.4%
<b>Total</b>	<b>447</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat other vegetables during the past 7 days	81	18.3%
b. 1 to 3 times during the past 7 days	192	43.3%
c. 4 to 6 times during the past 7 days	93	21.0%
d. 1 time per day	39	8.8%
e. 2 times per day	15	3.4%
f. 3 times per day	12	2.7%
g. 4 or more times per day	11	2.5%
<b>Total</b>	<b>443</b>	<b>100.0%</b>

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink a soda or pop during the past 7 days	59	13.2%
b. 1 to 3 times during the past 7 days	143	32.1%
c. 4 to 6 times during the past 7 days	86	19.3%
d. 1 time per day	47	10.5%
e. 2 times per day	47	10.5%
f. 3 times per day	25	5.6%
g. 4 or more times per day	39	8.7%
<b>Total</b>	<b>446</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink milk during the past 7 days	64	14.5%
b. 1 to 3 glasses during the past 7 days	119	26.9%
c. 4 to 6 glasses during the past 7 days	85	19.2%
d. 1 glass per day	48	10.9%
e. 2 glasses per day	55	12.4%
f. 3 glasses per day	39	8.8%
g. 4 or more glasses per day	32	7.2%
<b>Total</b>	<b>442</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	77	17.6%
b. 1 day	58	13.2%
c. 2 days	50	11.4%
d. 3 days	53	12.1%
e. 4 days	49	11.2%
f. 5 days	48	11.0%
g. 6 days	25	5.7%
h. 7 days	78	17.8%
<b>Total</b>	<b>438</b>	<b>100.0%</b>

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not watch TV on an average school day	91	20.7%
b. Less than 1 hour per day	84	19.1%
c. 1 hour per day	75	17.0%
d. 2 hours per day	82	18.6%
e. 3 hours per day	56	12.7%
f. 4 hours per day	23	5.2%
g. 5 or more hours per day	29	6.6%
<b>Total</b>	<b>440</b>	<b>100.0%</b>

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	127	28.5%
b. Less than 1 hour per day	114	25.6%
c. 1 hour per day	65	14.6%
d. 2 hours per day	61	13.7%
e. 3 hours per day	32	7.2%
f. 4 hours per day	19	4.3%
g. 5 or more hours per day	28	6.3%
<b>Total</b>	<b>446</b>	<b>100.0%</b>



## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	228	52.5%
b. 1 day	25	5.8%
c. 2 days	16	3.7%
d. 3 days	26	6.0%
e. 4 days	36	8.3%
f. 5 days	103	23.7%
<b>Total</b>	<b>434</b>	<b>100.0%</b>

<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 teams	319	72.2%
b. 1 team	67	15.2%
c. 2 teams	30	6.8%
d. 3 or more teams	26	5.9%
<b>Total</b>	<b>442</b>	<b>100.0%</b>

<i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	368	84.4%
b. No	48	11.0%
c. Not sure	20	4.6%
<b>Total</b>	<b>436</b>	<b>100.0%</b>

<i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	104	23.9%
b. No	303	69.7%
c. Not sure	28	6.4%
<b>Total</b>	<b>435</b>	<b>100.0%</b>

<i>Q-89. Do you still have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had asthma	245	56.1%
b. Yes	76	17.4%
c. No	67	15.3%
d. Not sure	49	11.2%
<b>Total</b>	<b>437</b>	<b>100.0%</b>

<i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	72	17.1%
b. No	350	82.9%
<b>Total</b>	<b>422</b>	<b>100.0%</b>

## 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

### ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	156	35.4%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	30	6.8%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	53	12.0%
d. Yes, drives, has valid license or permit and completed driver ed	146	33.1%
e. Yes, drives on public roads, but does not have a valid license or permit	56	12.7%
<b>Total</b>	<b>441</b>	<b>100.0%</b>